

MINISTERIO DEL INTERIOR

INDEX

SECTION I	ANNOUNCEMENT
SECTION II	PURPOSE OF THE PROCUREMENT, REFERENCE BUDGET, TECHNICAL SPECIFICATIONS OR TERMS OF REFERENCE 2.1 Object of the contract 2.2 Reference budget 2.3 Technical specifications
SECTION III	CONDITIONS OF THE PROCEDURE 3.1 Schedule of the procedure 3.2 Minimum requirements and conditions of the offer
SECTION IV	OBLIGACIONES OF THE PARTIES 4.1 Obligations of the contractor 4.2 Obligations of the contracting party 4.3 Fines
SECTION V	5.1 Bid submission forms

MINISTERIO DEL INTERIOR

INTERNATIONAL PURCHASE OF GOODS

CI-MDI-001-2023

I. PARTICULAR CONDITIONS OF THE PURCHASE OF GOODS

SECTION I ANNOUNCEMENT

The Ministry of the Interior, after having carried out a National Production Verification process No. VPN-MININT-001-2022, the National Public Procurement Service informed through SERCOP Official Letter No. RMI2022 of December 19, 2022, that *"NO has identified manifestations of interest in the GOOD/SERVICE that comply with the general conditions and technical characteristics detailed in the aforementioned process."*; For this reason, by means of official letter No. SERCOP-DCPN-2023-0367-O of April 5, 2023, it authorizes the purchase abroad of the following contract object: *"Acquisition of ballistic protection vests for the National Police"*, as determined in article 3 of the RGLOSNCNP.

Due to what was stated in the previous paragraph, foreign suppliers, legally capable of contracting with the Ecuadorian State, are summoned to present their offers for the *"Acquisition of ballistic protection vests for the National Police"*.

Only foreign bidders, in the case of being awarded and who do not have legal representation in Ecuador, prior to signing the contract, must designate a proxy in Ecuador, with broad power to sign the contract and assume the obligations that This is derived directly or indirectly, whether administrative or judicial order, in accordance with the provisions of article 6 of the Companies Law.

The estimated term for the execution of the contract is **180 days**, counted from the date of notification that the advance is available in the Contractor's account.

The conditions of this call are the following:

1. The specifications will be available, free of charge, on the website of the Ecuadorian Ministry of the Interior (www.ministeriodelinterior.gob.ec), on the website of the Ecuadorian National Police (www.policia.gob.ec), the SERCOP Institutional Portal, and other international media (Foreign Ministry, Attaché Office, Embassy of the United States, etc).

MINISTERIO DEL INTERIOR

2. The referential budget is **\$32,044,579.40 (THIRTY-TWO MILLION FORTY-FOUR THOUSAND FIVE HUNDRED SEVENTY-NINE 40/100)** United States dollars, not including VAT. The exposed values of the budget are considered the DDP value (Delivery Duty Paid) of the goods, therefore, they will be received according to the conditions of the indicated INCOTERM 2020 and must be delivered to the Storage Department of the DNL of the National Police located at the city of Quito, on De Los Cedros street and Av. Galo Plaza Lasso.
3. Interested parties may submit questions in writing to the following email address: adquisicion.internacional@ministeriodelinterior.gob.ec. The Technical Commission will answer the questions and make the necessary clarifications through the website of the Ministry of the Interior, within the period established in the schedule described in this document.
4. Bids must be submitted by email adquisicion.internacional@ministeriodelinterior.gob.ec, according to the schedule established for this purpose in the respective resolution. Offers must be sent digitally with their respective electronic signature or electronic signature certificate, in Spanish and English. They will be presented in Spanish and English.
5. The pre-contractual management of the procedure (questions, answers and clarifications; validation of errors; qualification of offers, award recommendation report, cancellation or declaration of desertion), will be in charge of a Technical Commission designated by the Highest Authority of the Ministry of Interior or its delegate. If required, support sub-committees may also be formed, at the request of the Technical Commission to the Highest Authority or its delegate.
6. The act of opening bids will be public and will take place at Quito City, Iñaquito Parish, Shyris N38-28 avenue and El Telégrafo, EX SERCOP Building, 5th Floor, Office of the General Administrative Financial Coordination.
7. The offer must be submitted for the entire contract or in part. Partial awards are allowed in this procurement procedure.
8. The evaluation of the offers will be carried out applying the qualification parameters provided in the specifications.
9. The contract payments will be made from the own funds from the budget of the contracting entity related to budget item 730802, *"Lingerie Clothing, Protective Garments and Accessories for Protection Surveillance and Security Personnel Uniforms"*, for the amount of \$32,674,877.22 contained in budget certification no. 86 of April 21, 2023; and budget certification no. 87 that covers the amount of

MINISTERIO DEL INTERIOR

VAT for \$3,920,985.27. Payments or transfers will be made in legal currency in Ecuador (US dollars) and will not be made in accounts located in tax havens. Payment will be made with an advance of 50% of the contractual amount, the remaining value will be paid according to partial deliveries according to the delivery schedule approved by the Contracting Party, of which the percentage of the advance delivered will be amortized. Payments will be made after a report and payment request by the contract administrator, signing of the partial or final receipt delivery certificate, invoices and income to the eSBYE asset control system. in order to make deliveries to the end user according to partial or total deliveries.

10. The Ministry of Interior reserves the right to cancel or declare void the contracting procedure, a situation in which there will be no payment of any compensation.
11. The procedure will adhere to the provisions of these specifications.
12. The contractual execution stage will be carried out in accordance with the agreement in the respective contract and the legal regulations to which the parties have accepted.

Quito, D.M., April 28, 2023

Mgs. Sandra Patricia Molina Barreiro
VICE MINISTER OF CITIZEN SECURITY
DELEGATE OF THE MINISTER OF INTERIOR

MINISTERIO DEL INTERIOR

MINISTERIO DEL INTERIOR
SECTION II

**PURPOSE OF THE PROCUREMENT, REFERENCE BUDGET,
TECHNICAL SPECIFICATIONS OR TERMS OF REFERENCE.**

2.1 Object of the contract: The purpose of this pre-contractual procedure is to select the international offer with the best cost, for **the Acquisition of ballistic protection vests for the National Police.**

2.2 Referential budget: The referential budget is **\$32,044,579.40 (THIRTY-TWO MILLION FORTY-FOUR THOUSAND FIVE HUNDRED SEVENTY-NINE 40/100 DOLLARS OF THE UNITED STATES OF NORTH AMERICA), NOT INCLUDING TAXES, in accordance with the following detail:**

DESCRIPTION OF THE GOOD	LOWEST VALUE OF THE OFFERS THAT MEET THE TECHNICAL AND COMMERCIAL PARAMETERS.	AMOUNTS CONSIDERED WITHIN THE INVESTMENT PROJECT AND NPV	GENERAL BUDGET TYPE BALLISTIC VEST	BY OF
LEVEL IIIA BALLISTIC PROTECTION VESTS	USD. 589,92	42048	USD.24.804.956,16	
LEVEL II BALLISTIC PROTECTION VESTS	USD 482,99	8787	USD. 4.244.033,13	
LEVEL III BALLISTIC PROTECTION VESTS	USD 2894,29	1035	USD. 2.995.590,15	
TOTAL REFERENCE BUDGET			USD 32.044.579,40	

Technical specifications or terms of reference:

1. SECTION I: IDENTIFICATION OF THE REQUIRED AREA

National Directorate of Logistics of the National Police.

2. SECTION II: PURPOSE OF THE PROCUREMENT

Acquisition of ballistic protection vests for the National Police.

3. SECTION III: LEGAL BASIS

3.1. CONSTITUTION OF THE REPUBLIC OF ECUADOR Art. 66.- People are recognized and guaranteed: (...) 16.- The right to freedom of contract.

Art. 158.- The Armed Forces and the National Police are institutions for the protection of the rights, freedoms and guarantees of citizens. (...)

Internal protection and maintenance of public order are exclusive functions of the State and the responsibility of the National Police.

MINISTERIO DEL INTERIOR

The servants of the Armed Forces and the National Police will be trained under the foundations of democracy and human rights, and will respect the dignity and rights of people without any discrimination and with unrestricted adherence to the legal system.

Art. 163.- The National Police is a state institution of a civilian, armed, technical, hierarchical, disciplined, professional and highly specialized nature, whose mission is to attend to citizen security and public order, and to protect the free exercise of rights and the safety of people within the national territory.

The members of the National Police will have training based on human rights, specialized investigation, crime prevention, control and prevention, and the use of deterrence and conciliation means as alternatives to the use of force.

For the development of its tasks, the National Police will coordinate its functions with the different levels of decentralized autonomous governments.

Art. 226.- The institutions of the State, its agencies, dependencies, the servants or public servants, and the people who act by virtue of a state power will exercise only the powers and faculties that are attributed to them in the Constitution and the law. They will have the duty to coordinate actions for the fulfillment of their purposes and to make effective the enjoyment and exercise of the rights recognized in the Constitution.

Art. 227.- The public administration constitutes a service to the community that is governed by the principles of effectiveness, efficiency, quality, hierarchy, decentralization, decentralization, coordination, participation, planning, transparency, and evaluation.

Art. 288.- Public purchases will comply with the criteria of efficiency, transparency, quality, and environmental and social responsibility. National products and services will be prioritized, particularly those from the popular and solidarity economy, and from micro, small, and medium-sized productive units.

Art. 393.- The State will guarantee human security through integrated policies and actions, to ensure the peaceful coexistence of people, promote a culture of peace and prevent forms of violence and discrimination and the commission of infractions and crimes. The planning and application of these policies will be entrusted to specialized bodies at the different levels of government.

3.2. ORGANIC LAW OF THE GENERAL COMPTROLLER OF THE STATE

Art. 40.- Responsibility for action or omission. The authorities, dignitaries, officials, and other servants of the State institutions, will act with the diligence and commitment that they generally use in the administration of their own businesses and activities, otherwise, they will respond, for their actions or omissions, in accordance with the provisions of this law.

3.3. ORGANIC LAW OF THE NATIONAL PUBLIC PROCUREMENT SYSTEM

MINISTERIO DEL INTERIOR

Art. 04.- Principles. - For the application of this Law and the contracts derived from it, the principles of legality, fair treatment, equality, quality, technological validity, opportunity, concurrence, transparency, and publicity will be observed; and, national participation.

Art. 23- Studies. - Before initiating a pre-contractual procedure, according to the nature of the contract, the entity must have complete, definitive, and updated studies and designs, plans and calculations, and technical specifications, duly approved by the corresponding instances, linked to the Annual Plan Contracting of the entity.

The studies and designs will include, as a condition prior to their approval and start of the contractual process, the analysis of technological disaggregation or Inclusion Purchase, as appropriate, which will determine the minimum proportion of national or local participation according to the methodology and parameters. determined by the National Public Procurement Service.

The highest authority of the Contracting Entity and the officials who have participated in the preparation of the studies, at the time they were contracted and approved, will have joint and several liabilities together with the consultants or contractors, if applicable, for the validity of its results and for any damages that may be caused in its subsequent application.

The contractors and officials who prepare the pre-contractual studies will be responsible for informing the contracting entity, within 15 days from the notification, if there is technical justification for the signing of complementary contracts, work orders, and differences in amounts of work that exceed fifteen percent (15%) of the value of the main contract. In case of failure to comply with the indicated period, they will be sanctioned in accordance with Article 100 of this Law.

Art. 24.- Budget. - The entities, prior to the call, must certify the budgetary availability and the present or future existence of sufficient resources to cover the obligations derived from the contracting.

The Regulation will establish the forms in which the certifications or electronic mechanisms for the verification referred to in the previous paragraph will be conferred.

3.3.1. ORGANIC LAW THAT REGULATES THE LEGITIMATE USE OF FORCE

Art. 6. Duty of action of the servants and servants. - The servants and servants of the entities regulated by this Law, in attention to the nature of their faculties, functions, and constitutional and legal duties, are obliged to act in order to protect the life, the integrity of the people, the exercise of the constitutional rights and guarantees, public order and comprehensive security.

Art. 7.- Legitimate use of force as an exceptional and ultima ratio response. - The servants of the entities regulated in this Law, to the extent possible, will use non-violent means such as negotiation and verbalization before resorting to the use of physical force or the use of less lethal weapons or lethal weapons before the intervened people.

In an exceptional and differentiated manner, the servants may use force or instruments of

MINISTERIO DEL INTERIOR

coercion, in accordance with their constitutional and legal functions and duties within the framework of the provisions established in this Law, to the extent that it is reasonably necessary to:

to. Prevention in the commission of an infraction:

- b. To carry out the legal arrest of offenders or suspected offenders, to help carry out the arrest and only when the other means of control have been exhausted and failed;
- c. Protect or defend protected legal assets; and,
- d. Control anyone who resists authority.

The means and methods used will seek to neutralize and, if possible, reduce the level of threat, resistance, or aggression.

Art. 17.- Rights of servants and servants. - The servants of the entities regulated in this Law, have the following rights in relation to the power conferred by the State for the legitimate use of force:

- b. To receive the provision of protective equipment, less lethal weapons, lethal weapons, and sufficient and necessary ammunition for the exercise of their constitutional and legal functions;

Art. 39 (Subsection 1).- Provision of less lethal weapons, lethal weapons, ammunition, and protective equipment.- The entities in charge of the National Police, Armed Forces, Security Corps, and Penitentiary Surveillance, will provide their servants and servers, of less lethal weapons, lethal weapons, ammunition, explosives, trained animals, mobile means, and protective equipment for individual and collective use and will periodically train and train them on their management and differentiated use (...).

Art. 42.- Responsibility of suppliers.- Suppliers of weapons, technologies, explosives, ammunition, mobile means, trained animals, protective equipment for individual or collective use, as well as any other input for the fulfillment of the functions regulated in this Law, they will have the obligation to train the servers in the use, management, technical characteristics, maintenance and delivery of manuals in which the technical specifications, correct use, maintenance, and storage of the means acquired by the institutions must be recorded.

Suppliers will provide the necessary conditions for these trainings.

GENERAL DISPOSITION

Second.- Powers in the planning, acquisition, and control of weapons.- The governing entity in matters of public order, internal protection, and citizen security; the governing entity of National Defense; and, the entity in charge of the Penitentiary Security and Surveillance Corps, will control the planning procedure for the acquisition and control of weapons, explosives, ammunition, protective equipment and technologies in the entities regulated by this Law, in accordance with their powers.

3.4. PUBLIC AND STATE SAFETY LAW

MINISTERIO DEL INTERIOR

Art. 11.- Of the executing bodies. - The executing bodies of the Public and State Security System will be in charge of defense, public order, prevention, and risk management actions, according to the following:

b) Of public order: Ministry of Government, Police and Cults, and, National Police. - The internal protection, maintenance, and control of public order will have the Ministry of Government, Police, and Cults as the governing body. Its execution corresponds to the National Police, which will contribute to public, community, and private efforts to achieve citizen security, the protection of rights, freedoms, and guarantees of citizenship. It will support and execute all the actions within the scope of its constitutional responsibility to protect the inhabitants in situations of violence, common delinquency, and organized crime.

Art. 23.- Citizen security. - Citizen security is a State policy, aimed at strengthening and modernizing the necessary mechanisms to guarantee human rights, especially the right to a life free of violence and crime, the reduction of crime levels, the protection of victims and the improvement of the quality of life of all the inhabitants of Ecuador.

In order to achieve solidarity and the reconstitution of the social fabric, the creation of adequate conditions for the prevention and control of crime will be oriented; of organized crime; kidnapping, human trafficking; of contraband; of coyoterism; drug trafficking, arms trafficking, organ trafficking and any other type of crime; of social violence; and, of the violation of human rights.

Preventive measures and service to citizens will be privileged, registration and access to information, the execution of citizen programs for the prevention of crime and the eradication of violence of any kind, improvement of the relationship between the police and the community, the provision and measurement quality in each of the services, surveillance, aid and response mechanisms, technological equipment that allows institutions to monitor, control, assist and investigate events that occur and that threaten citizens.

MINISTERIO DEL INTERIOR

3.5. ORGANIC CODE OF CITIZEN SECURITY AND PUBLIC ORDER ENTITIES.

Art. 3.- Functions of citizen security, internal protection and public order. - The entities regulated in this Code, in accordance with their powers, in order to guarantee the comprehensive security of the population, have functions of prevention, detection, deterrence, investigation, and control of crime, as well as other adverse events and threats to people, in order to guarantee their constitutional rights and peaceful social coexistence.

Within this framework, they carry out coordinated operations for the control of public space; prevention and investigation of infringement; support, coordination, relief, rescue, pre-hospital care, and in general, response to disasters and emergencies.

Art. 5.- Principles. - The entities provided for in this Code, and their servers, are governed by the following principles:

5. Equality: It is the equivalence of treatment and opportunities without discrimination for reasons of ethnicity, religion, sexual orientation, gender, and others provided for in the Constitution, recognizing the equality of rights, conditions, and opportunities of people.

Art. 64.- Minister. - The head of the governing ministry of citizen security, internal protection and public order will have the following functions:

1. Prepare plans, programs and projects in matters of citizen security, internal protection and public order, articulated to the National Development Plan, in accordance with the provisions of the laws and regulations;

4. Exercise the legal, judicial and extrajudicial representation of the National Police

Art. 66.- Subsystems. - To fulfill its mission, the management of the National Police is structured and organized through the Prevention, Investigation and Anti-crime Intelligence Subsystems, which in turn form part of the Public and State Security System.

The Management Subsystems are mainly constituted by the governing processes, advisors, adjectives, value generators and decentralized of the National Police.

Art. 67.- Prevention Subsystem. - The Prevention Subsystem contains all the functions carried out by the National Police before a criminal act or offense occurs, in order to ensure public safety, internal protection and public order.

Art. 68.- Investigation Subsystem. - The Investigation Subsystem carries out the operational investigation activities of the offense in order to gather or secure the elements of conviction, protect victims and innocent people, prevent the escape or concealment of suspects and the consummation of a criminal offense.

Art. 69.- Anti-Criminal Intelligence Subsystem. - The Anti-Criminal Intelligence Subsystem integrates and articulates the police units dedicated to obtaining, systematizing and analyzing specific information referring to threats, risks and conflicts that affect citizen security, in order to provide inputs for decision-making. In addition, it establishes and promotes institutional vetting mechanisms under the guidance of the national intelligence governing authority.

MINISTERIO DEL INTERIOR

Art. 97.- Rights. - Within the professional career, the rights of police officers, in addition to those established in the Constitution of the Republic and the law, are the following: (...)

6. Have uniforms, equipment, instruments, work tools and weapons, according to their activity, in accordance with the respective regulations.

3.6. ADMINISTRATIVE ORGANIC CODE

Article 120.- Act of simple administration. An act of simple administration is any unilateral declaration of will, internal or between administrative bodies, carried out in the exercise of the administrative function that produces individual and indirect legal effects.

3.7. GENERAL REGULATIONS TO THE ORGANIC LAW OF THE NATIONAL PUBLIC PROCUREMENT SYSTEM.

Art. 3.- Hiring abroad. - The provisions of the Organic Law of the National Public Procurement System or these Regulations shall not govern the acquisition and/or leasing of goods, provision of services and execution of works that by their nature, object or scope must be executed. outside the national territory.

These procedures will be subject to the legal regulations of the country in which they are contracted or to commercial practices or business models of international application, seeking to carry out competitive international selection processes.

For the import of goods or contracting of services purchased abroad, carried out directly by the contracting entities, the contracting entity will previously require verification of national production (VPN) by the National Public Procurement Service.

For contracts subject to the provisions of this article, the highest authority of the entity or its delegate must issue, in a reasoned manner, the resolution to start the procedure, which must detail the regulations to which said contracts will be subject. without this being able to constitute a mechanism for circumvention of the procedures provided for in the Organic Law of the National Public Procurement System and in this General Regulation.

All calls for the acquisitions referred to in this article, in addition to publications in international media, must be published on the COMPRASPÚBLICAS Portal, through the special publication tool.

Art. 4.- Of the acquisition of goods through importation or contracting of services abroad. - This article is mandatory for the import of goods or contracting of services abroad, carried out directly by the entities listed in article 1 of the Organic Law of the National Public Procurement System, provided that they have not carried out a contracting procedure public by applying national preference margins.

The processing of the application for authorization of import licenses will be done through the Ecuadorian Single Window using the ECUAPASS system of the National Customs Service of Ecuador. The National Public Procurement Service will issue through a reasoned resolution a list of products categorized by CPCs, which do not have national production registered in public procurement.

MINISTERIO DEL INTERIOR

The products that are part of this list will be exempted from the national production verification process, being mandatory to carry out the import license authorization application process, in accordance with the requirements determined by the National Public Procurement Service.

The correct application of this article will be the exclusive responsibility of the contracting entity and will be subject to the control and verification of the National Public Procurement Service, in accordance with the regulations issued for this purpose. If misuse of this provision is detected, the authorization of the license may be denied at any time and the State Comptroller General will be notified.

Art. 5.- Authorization. If from the analysis of the expressions of interest the contracting entity concludes that there is no national offer, or if after the verification the existence of national production is not determined, the National Public Procurement Service will authorize the corresponding import, with which the entity The contracting party may initiate the selection procedure abroad or import.

3.8. Executive Decree No. 381, dated March 30, 2022, signed by the President of the Republic, through which in its article 01 provides: Separate from the Ministry of Government, the Vice Ministry of the Interior and create the Ministry of the Interior, as a public law body, with legal personality endowed with technical, administrative, operational and financial autonomy, in charge of formulating policies for citizen security, internal protection and public order.

3.9. Executive Decree No. 535, dated August 16, 2022, signed by the President of the Republic, whereby in its article 01 it provides "Extend the term for the execution of the spin-off and creation process provided by Executive Decree No. 381 of March 30, 2022, within 90 days from the expiration of the term established in the First Transitory Provision of the aforementioned Executive Decree."

4. BACKGROUND

4.1. Official letter SNP-SNP-2021-1313-OF, signed by Mgs. Daniel Eduardo Lemus Sares, Undersecretary of National Planning, through which he issues the priority opinion according to the following detail: "Project: "Basic equipment and personal protection for police officers nationwide", CUP: 50500000.0000.387222 Period: 2022 - 2025. Total Amount: USD 128,476,996.81 USD."

4.2. Official letter No. PN-DTA-DNL-QX-2022-0332-O, dated February 9, 2022, signed by Mr. SgoP. Julio César Tejada Terán, Manager of the Equipment Warehouse of the DNL Storage Department, addressed to Mayr. Marcos Aurelio Benavides Galeano, Head of the Technical Storage Department, through which he reports the following:

- Year of entry of MKU ballistic protection vests;
- Distribution of MKU ballistic protection vests;
- Validity or lifetime of MKU ballistic protection vests and;
- Stock available in the Equipment Department of the DNL Storage

MINISTERIO DEL INTERIOR

Department.

4.3. Memorandum No. MDI-CGPG-2023-00071-MEMO, signed by Mr. Mgs. Juan Francisco Redroban Herrera GENERAL COORDINATOR OF PLANNING AND STRATEGIC MANAGEMENT, addressed to Mr. Crnl. Galo Alfonso Erazo Coellar UNDER SECRETARY OF POLICE, in which the result of the first project prioritization exercise is forwarded; the budget assigned to the present date for the investment projects in question for the fiscal year 2023 (according to the communication made by the General Administrative Financial Coordination).

4.4. Circular No. Circular No. PN-DNL-QX-2023-0245-C signed electronically by the National Director of Logistics, which refers to Official Letter No. MDI-VSC-2023-0082-OF dated February 7, 2023, electronically signed Mgs. Sandra Patricia Molina Barreiro VICE MINISTER OF CITIZEN SECURITY; document through which she states that she is aware of the list of police officers and their profiles, appointing them to form the specialized teams for the preparation of the preparatory documentation.

4.5. Official Letter No. MDI-VSC-2023-0106-OF. Signed by Ms. Sandra Patricia Molina Barreiro VICE MINISTER OF CITIZEN SECURITY, addressed to the commissions designated for the elaboration of the Prioritized Investment Projects for the preparatory phase ORDERS the presentation of the enabling documents of the preparatory phase immediately, in order to avoid further delays in the execution of the planned goals, additionally indicate that the documents must have the review and validation prior to their formalization by the Directorate of Public Procurement of this State Portfolio until February 23, 2023, so that this operating unit determines that they have the parameters required by this Ministry.

4.6. Official Letter No. MDI-VSC-2023-0228-OF, dated April 10, 2023, signed by the VICE MINISTER OF CITIZEN SECURITY, through which she convenes the members of the specialized team delegated by Official Letter No. MDI-VSC- 2023-0082-OF, dated February 7, 2023 and MDI-VSC- 2023-0227-OF, dated April 10, 2023, for the receipt of proformas/quotes submitted by companies from the international community, corresponding to the investment project BASIC EQUIPMENT AND PERSONAL PROTECTION FOR POLICE SERVERS AT THE NATIONAL LEVEL, where the Act S/N is signed, dated April 11, 2023, through which: by the MINISTRY OF INTERIOR: Mrs. Mgs. Daysi Alexandra Muñoz Ortega GENERAL ADMINISTRATIVE FINANCIAL COORDINATOR OF THE MINISTRY OF INTERIOR and Mr. Mauro Vásquez de la Bandera Mayorga DIRECTOR OF PUBLIC PROCUREMENT Substitute OF THE MINISTRY OF INTERIOR, who delivered the digital folder QUOTES FOR BALLISTIC VESTS; and on behalf of the NATIONAL POLICE: Messrs. Tcnl. Abg. Ramiro Omar Arequipa Chiluisa and Mr. Mayr. Lenin Enrique Torres Mejía, who receive the digital folder QUOTES BALLISTIC VESTS.

5. OBJECTIVES OF THE RECRUITMENT

5.1. GENERAL OBJECTIVE

MINISTERIO DEL INTERIOR

Acquire ballistic protection vests for the National Police, for the development of police activities, focused on citizen security and public order.

5.2. SPECIFIC OBJECTIVES

Deliver as a supply to the police officers Directors and Operational Technicians belonging to the Axes: Preventive, Investigative, and Intelligence of the National Police, in order to guarantee the well-being and safety of the police officers, through the provision of ballistic protection vests: Urban, preventive and internal use tactical.

Provide new ballistic protection vests to the Executive Police Officers and Operational Technicians belonging to the Preventive, Investigative, and Intelligence Subsystems of the National Police, in replacement of those currently owned by the National Police, which completed their useful life in the year 2022.

6. SCOPE

The ballistic protection vests will be delivered nationwide to the Police Servants of the Preventive, Investigative, and Intelligence Subsystems of the National Police.

Table No. 1 DISTRIBUTIVE.

Preventive Subsystem	Ballistic Protection Vest with Molle System, Level IIIA	42048
Preventive Subsystem (Specialized Units)	Ballistic Protection Vest with Molle System, Level IIIA And Carrier With Ballistic Protection Level III	1035
Investigative and Intelligence Subsystem	Internal Vest (Concealed) for Level II Ballistic Protection	8787

Source: INVESTMENT PROJECT: "Basic equipment and personal protection for police officers nationwide" CUP: 00000.0000387222.

7. TECHNICAL SPECIFICATIONS


BALLISTIC PROTECTION VEST WITH LEVEL IIIA MOLLE SYSTEM PREVENTIVE SUBSYSTEM

VEST WITH BALLISTIC PROTECTION FOR	MINIMUM REQUIREMENTS
---	-----------------------------

MINISTERIO DEL INTERIOR

	OUTDOOR USE	
1	Ballistic Protection Vest (Male)	Ergonomic outer garment for use by police officers, with frontal, lateral, and back ballistic protection (360 degrees), side adjustments with flaps, in sizes XS, S, M, L, and XL or equivalent, according to the sizes established in the Information System of the National Police. The design of the vest must guarantee the user's ease of movement, flexibility, agility, and comfort. Each bidder must detail the measurements in centimeters of each size.
2	Ballistic Protection Vest (Female)	Exclusive ergonomic outer garment for female police officers that avoids the pressure of a conventional vest in the chest area. With front, side and back protection (360 degrees), and side adjustments with wings, in sizes XS, S, M and L, according to the sizes established in the National Police Information System. The design of the vest must guarantee the user's ease of movement, flexibility, agility and comfort. Each bidder must detail the measurements in centimeters of each size.
3	Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06.
4	Maximum weight per square foot “ft²” of Level IIIA Ballistic Protection Panels for women and men. Does NOT include the weight of the outer lining	MAN
		WOMAN
		Up to 1.0 pounds/ft ²
		Up to 1.05 pounds/ft ²
5	Maximum thickness of ballistic panels	Must have a maximum thickness or thickness of up to 0.28 inches
6	Level IIIA ballistic panel material	Made of ballistic material with the current technology of aramids, polyethylene, or mixed (between aramids and polyethylenes). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners, or any evidence of tailoring deficiency, with internal support in the upper part of both, the right and the left side, and on the front and the backside. The material of the ballistic panels must not be recycled or re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.
7	Technical Guarantee	Minimum five (5) years.

MINISTERIO DEL INTERIOR

	of Ballistic Panels	
8	Identification	<p>02 Patches for the vest (01 for each face on the front and back side) thermo-stamped type, with velcro-type fastening on the front and back, white, NON-REFLECTIVE with the word "POLICIA" in Helvetica Bold font, in capital letters, in clearly legible characters, each letter 50mm high, with a width of 40mm. The printing method must be in special high adhesion ink so as to guarantee the permanence of the printing until the end of the useful life of the vest, taking into account the weather conditions of the country.</p> <p>01 blood type identification patches, which will go inside a 3.5cm x 3cm rectangle, with a white border, with velcro.</p> 
9	Material of the outer lining of the vest.	100% Nylon, in a range of 500 to 600 denier, duly certified by textile laboratories according to national or international standards.
10	Color and characteristics of the outer lining of the vest	<p>The outer lining of the vest must be black, made of textile fibers with high parameters of color fastness to artificial light, fastness to exposure to the sun (UV rays), color fastness to washing; resistant to abrasion, tearing or tearing and water repellent, with MOLLE system (standard size) front and rear, internal lumbar support system proportional to the size of the vest, high-quality velcro, sewing and elastic, opening system quick release with velcro, rear lining, handle system for easy drag or removal, front and rear pocket for level III plate, additionally these linings must allow the attachment of neck, throat, shoulder, upper arm and groin protections. The adjustment of the upper part (shoulders) must be carrier-type, with regulation, in the internal part in contact with the skin with quick-drying, breathable, and antibacterial 3D mesh.</p> <p>(The model of the outer lining and the plate holder can be modified at the convenience of the contracting entity).</p> <p>It must have anti-tear properties to protect the ballistic panels.</p>
11	Back Support	The outer lining of the vest must have elastic lumbar support with a velcro-type adjustable point, in the same color as the lining of the vest, according to the size of the vest.
12	Technical guarantee of the outer lining and license plate holder.	Minimum five (5) years and duly certified

MINISTERIO DEL INTERIOR

13	Material and color of the inner faces of the outer lining (in contact with the body).	In 3D mesh, black color with antibacterial, anti-sweating, and deodorizing material, resistant to environmental impacts and mold.
14	Ballistic panel seal type.	High-frequency sealed closure to guarantee impermeability, without seams. Dust and water-resistant.
15	Set points	In 4 points of adjustable adhesion, sides, and shoulders with velcro.
16	Product quality certificates from the manufacturer of ballistic vests.	Each of the ballistic panels (anterior and posterior) must be certified active, officially by the Standard NIJ IIIA 0101.06 specific gender (male/female) issued by the authorized entity with translation into Spanish. The models offered must be duly identified in the following NIJ link: https://cjtec.org/compliance-testing-program/compliant-product-lists/
17	Laboratory's certificate	Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ IIIA 0101.06 (refurbished and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.
18	Trauma Level	Maximum 44mm. (NIJ Standard 0101.06)
19	Ballistic vest case	It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining, which fully covers the equipment, protecting it in storage from humid and dusty conditions, suitable for the vest, in sizes XS, S, M, L and XL, with a handle for transport.
20	Ballistic Panels and Lining Information	The labeling of the specifications of the panels and their cover, will be in accordance with the provisions of the Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user. The labeling of the lining specifications will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.
21	Training	Aimed at 100 police officers in charge of the warehouses of weapons and equipment of the National Police of Ecuador for storage and maintenance of the ballistic vests.
22	Manual	A use, maintenance, and storage manual must be attached to each vest in Spanish.
23	Insurance policy commercial responsibility, civil and for damages	The awarded company must present a policy of civil liability for a value equal to or greater than twenty million (20,000,000.00) US dollars.


MINISTERIO DEL INTERIOR

24	Lots of sizes of the supplying companies (size range)	<p>The bidding company must have its size molds for the bulletproof garments of the model to be offered, from C1 to C5 according to the NIJ 0101.06 standard. This will be verified in the following link. https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">SIZE RANGE</th> <th style="text-align: center;">C1</th> <th style="text-align: center;">C2</th> <th style="text-align: center;">C3</th> <th style="text-align: center;">C4</th> <th style="text-align: center;">C5</th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">extra small</td> <td style="text-align: center;">small</td> <td style="text-align: center;">medium</td> <td style="text-align: center;">large</td> <td style="text-align: center;">extra large</td> </tr> </tbody> </table>	SIZE RANGE	C1	C2	C3	C4	C5		extra small	small	medium	large	extra large		
SIZE RANGE	C1	C2	C3	C4	C5											
	extra small	small	medium	large	extra large											



BALLISTIC PROTECTION VEST WITH MOLLE SYSTEM, LEVEL IIIA AND PLATE CARRIER LEVEL III.

	Vest with ballistic protection for outdoor use	Minimum requirements		
1	Ballistic Protection Vest (Male)	Ergonomic outer garment with frontal, lateral, and back ballistic protection (360 degrees), neck, throat, shoulders, upper arms and groin region, with adjustable adjustment system to the body, in sizes XS, S, M, L, and XL or equivalent, according to the sizes established in the Information System of the National Police. Each bidder must detail the measurements in centimeters of each size.		
2	Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06		
3	Level III ballistic plate	Official Protection Standard NIJ IIIA 0101.06		
4	Maximum weight per square foot "ft²" of male level IIIA Ballistic Protection Panels and neck, throat, shoulder, upper arm and groin protections. Does NOT include the weight of the outer lining	<table border="1" style="margin: auto;"> <tr> <td style="text-align: center;">MAN</td> </tr> <tr> <td style="text-align: center;">Up to 1.05 pounds/ft²</td> </tr> </table>	MAN	Up to 1.05 pounds/ft ²
MAN				
Up to 1.05 pounds/ft ²				
5	Maximum thickness of ballistic panels	It must have a maximum thickness or thickness of up to 0.28 inches.		

MINISTERIO DEL INTERIOR

6	Maximum weight of Level III Ballistic Protection Plates Stand-Alone, Shooter cut	<p>Maximum weight between the front and rear plates without the plate holder. It should not exceed 6.02 lbs.</p> <p>Stand-Alone "to be unique" (it is a modern ballistic plate, it must resist impacts by itself, without the need to place them on the soft panel)</p> <p>Shooter Cut (suitable for those who want to carry their rifle over their shoulder, without a plate getting in the way)</p> <div style="text-align: center;">  </div>
7	Level IIIA ballistic panel material	<p>Made of ballistic material with current technology of aramids, polyethylene or mixed (between aramids and polyethylenes). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners, or any evidence of poor construction, and internally fastened at the top on both the left and right front and rear sides. The material of the ballistic panels must not be recycled or re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.</p>
8	Ballistic plate material level III, Stand-Alone, Shooter cut	<p>Hybrid composite material whose weight must not exceed 6.02 lbs., each with a tolerance of no more than 0.110231 lbs.</p> <p>Width 254 mm x length 304.8 mm, thickness (thickness) 25.4 mm +/- 5 mm or 10" x 12" x 1". +/- 0.196"</p> <p>Stand-Alone "to be unique" (it is a modern ballistic plate, it must resist impacts by itself, without the need to place them on the soft panel)</p> <p>Shooter Cut (suitable for those who want to carry their rifle over their shoulder, without a plate getting in the way).</p>
9	Technical Guarantee of Ballistic Panels and ballistic plates	<p>Minimum five (5) years.</p>

MINISTERIO DEL INTERIOR

<p>10</p>	<p>Identification</p>	<p>02 Patches for the plate holder (01 for each face on the front and rear side) thermo-stamped type, with velcro-type fastening on the front and back, black, NON-REFLECTIVE with the word "POLICIA" in Helvetica Bold font, in capital letters, in clearly legible characters, each letter 50 mm high, with a width of 40 mm. The printing method must be in special high adhesion ink so as to guarantee the permanence of the printing until the end of the useful life of the vest, taking into account the weather conditions of the country.</p> <div data-bbox="933 638 1082 698" style="text-align: center;">  </div> <p>01 blood type identification patch, which will go inside a 3.5cm x 3cm rectangle, with a black border, with velcro.</p> <p>02 Patches for the plate holder (01 for each side of the front and rear side) thermo stamped type, with velcro type fastening on the front and back, black, NON-REFLECTIVE with the word "POLICE" the Helvetica Bold font type, in capital letters, in clearly legible characters, each letter 50 mm high, with a width of 30 mm. The printing method must be in special high-adhesion ink so as to guarantee the permanence of the printing until the end of the useful life of the vest, taking into account the weather conditions of the country.</p> <p>01 blood type identification patch, which will go inside a rectangle of 3.5cm x 3cm, with border in black, with velcro.</p> <div data-bbox="877 1444 1066 1518" style="text-align: center;">  </div>
<p>11</p>	<p>Material of the outer lining of the vest.</p>	<p>100% Nylon, in a range of 500 to 600 deniers, duly certified by textile laboratories according to national or international standards.</p>
<p>12</p>	<p>Color and characteristics of the outer lining of the vest and the plate holder</p>	<p>01 outer lining of the vest must be Black Color, made of textile fibers with high parameters of color fastness to artificial light, fastness to sun exposure (UV rays), color fastness to washing; resistant to abrasion, tearing or tearing and water repellent, with MOLLE system (standard size) front and back, high-quality internal lumbar support system in velcro, according to the size of the vest, sewing and elastic, opening system quick (quickly Clic), lining on the back, handle system for easy drag or removal, front and rear pocket for level III plate, with neck, throat, shoulder, upper arm and groin</p>

MINISTERIO DEL INTERIOR

		<p>protections. The adjustment of the upper part (shoulders) must be carrier type, quick fastening (quickly Clic) with regulation, in the internal part in contact with the skin with 3D quick-drying, breathable and antibacterial mesh.</p> <p>01 plate holder for level III, with OD GREEN color molle system, made of textile fibers with high parameters of color fastness to artificial light, fastness to sun exposure (UV rays), color fastness to washing; resistant to abrasion, rupture or tearing and water repellent, quick opening system and rear lining with drag or extraction handle system, additionally, this plate holder must allow the attachment of protections for the neck, throat, shoulders, upper region of arms and groin.</p> <p>(The model of the outer lining and the plate holder can be modified at the convenience of the contracting entity).</p> <p>It must have anti-tear properties to protect the ballistic panels.</p>
13	Back Support	The outer lining of the vest must have elastic-type lumbar support with a velcro-type adjustable point, in the same color as the vest lining.
14	Technical guarantee of the outer lining and license plate holder.	Minimum five (5) years (each), duly certified.
15	Material and color of the internal faces of the outer lining and of the outer plate holder (in contact with the body).	In 3D mesh, Black and OD GREEN respectively, with antibacterial, anti-perspiration, and deodorizing material, resistant to environmental impacts and mold.
16	Ballistic panel seal type.	High-frequency sealed closure, to guarantee impermeability, without seams. Dust and water-resistant.
17	Set points	In 4 points of adjustable adhesion, sides and shoulders quickly click (quick opening system).
18	Product quality certificates from the manufacturer of ballistic vests.	Each of the ballistic panels (front and rear) must be certified active, officially by Standard NIJ IIIA 0101.06 and the plates must be officially certified by Standard NIJ III 0101.06, issued by the authorized entity with translation into Spanish. The models offered must be duly identified in the following NIJ link: https://cjtec.org/compliance-testing-program/compliant-product-lists/

MINISTERIO DEL INTERIOR

19	Laboratory's certificate	Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ IIIA 0101.06 and Standard NIJ III 0101.06 (conditioned and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.												
20	Trauma Level	Maximum 44 mm. (Standard NIJ 0101.06)												
21	Ballistic vest case.	It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining that completely covers the equipment, protecting it in storage from humidity and dust conditions, suitable for both linings, in sizes XS, S, M, L and XL, with a handle for transport.												
22	Information on panels, ballistic plates and linings	<p>The labeling of the specifications of the ballistic panels and plates will be in accordance with the provisions of the Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.</p> <p>The labeling of the lining specifications will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.</p>												
23	Training	Aimed at 100 police officers in charge of the warehouses of weapons and equipment of the National Police of Ecuador for storage and maintenance of the ballistic vests.												
24	Manual	A use, maintenance and storage manual must be attached to each vest in Spanish.												
25	Insurance policy commercial responsibility, civil and for damages	The awarded company must present a policy of civil liability for a value equal to or greater than twenty million (20,000,000.00) US dollars.												
26	Lots of sizes of the supplying companies (size range)	<p>The bidding company must have its size molds for the bulletproof garments of the model to be offered, from C1 to C5 according to the NIJ 0101.06 standard. This will be verified in the following link. https://cjtec.org/compliance-testing-program/compliant-product-lists/</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>SIZE RANGE</th> <th>C1</th> <th>C2</th> <th>C3</th> <th>C4</th> <th>C5</th> </tr> </thead> <tbody> <tr> <td></td> <td>extra small</td> <td>small</td> <td>medium</td> <td>large</td> <td>extra large</td> </tr> </tbody> </table>	SIZE RANGE	C1	C2	C3	C4	C5		extra small	small	medium	large	extra large
SIZE RANGE	C1	C2	C3	C4	C5									
	extra small	small	medium	large	extra large									

INNER VEST (CONCEALED) OF LEVEL II BALLISTIC PROTECTION

MINISTERIO DEL INTERIOR

	VEST WITH BALLISTIC PROTECTION FOR OUTDOOR USE	MINIMUM REQUIREMENTS	
1	Inner vest with ballistic protection (Male)	Garment for internal use (concealed), ergonomic, with frontal, lateral and back ballistic protection (360 degrees), side adjustments with wings, in sizes XS, S, M, L and XL or equivalent, according to the sizes established in the Information System of the National Police. The design of the vest must guarantee the user's ease of movement, flexibility, agility, comfort and imperceptibility.	
2	Ballistic Protection Vest (Female)	Ergonomic undergarment exclusively for women that avoids the pressure of a conventional vest in the chest area. With front, side and back protection (360 degrees), and side adjustments with wings, in sizes XS, S, M and L, according to the sizes established in the National Police Information System. The design of the vest must guarantee the user's ease of movement, flexibility, agility, comfort and imperceptibility.	
3	Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06.	
4	Maximum weight per square foot "ft²" of the male and female Level IIIA Ballistic Protection Panels. Does NOT include the weight of the outer lining	MAN	WOMAN
		Up to 0.90 pounds/ft ²	Up to 0.90 pounds/ft ²
5	Maximum thickness of ballistic panels	Must have a maximum thickness or thickness of up to 0.20 inches	
6	Level II ballistic panel material	Made of ballistic material with current technology of aramids, polyethylene or mixed (between aramids and polyethylenes). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners or any evidence of poor construction, internally fastened at the top on both the left and right front and rear sides. The material of the ballistic panels must not be recycled, re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.	
7	Technical Guarantee of Ballistic Panels	Minimum five (5) years in the ballistic panel.	

MINISTERIO DEL INTERIOR

8	Hidden Materials	Lining	Lining for internal use (hidden) of Polyester and Cotton (70% Polyester and 30% cotton) maximum 250 denier, duly certified by textile laboratories according to national or international standards.
9	Color and characteristics of the internal lining (hidden)		<p>02 Lining for internal use (hidden) 01 in white and 01 in black, high quality, easy to maintain and very resistant, quick-drying, breathable and antibacterial. with velcro system that ensures a high level of comfort and perfect fit.</p> <p>(The model of the hidden lining can be modified at the convenience of the contracting entity).</p> <p>It must have anti-tear properties to protect the ballistic panels.</p>
10	Technical guarantee of the outer lining and license plate holder.		Minimum five (5) years and duly certified
11	Concealed inner lining material (in contact with the body).		In mesh, with antibacterial, anti-sweating and deodorizing material, resistant to environmental impacts and mold.
12	Concealed inner lining material (in contact with the body).		High frequency sealed closure, to guarantee impermeability, without seams. Dust and water resistant.
13	Set points		In 4 adjustable adhesion points, sides and shoulders with velcro.
14	Product quality certificates from the manufacturer of ballistic vests.		<p>Each of the ballistic panels (front and rear) must be certified active, officially by the Official Standard NIJ II 0101.06 specific gender (male/female), issued by the authorized entity with translation into Spanish. The models offered must be duly identified in the following NIJ link:</p> <p>https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>
15	Laboratory's certificate		Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ II 0101.06 standard (refurbished and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.
16	Trauma level		Maximum 44mm. (NIJ Standard 0101.06)
17	Ballistic vest case.		It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining, which fully covers the equipment, protecting it in storage from humid and dusty conditions, suitable for the vest, in sizes XS, S, M, L and XL, with a handle for transport.


MINISTERIO DEL INTERIOR

18	Vest information	The labeling of the specifications of the panels and their cover will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user. The labeling of the lining specifications will be in accordance with what Standard NIJ 0101.06 establishes, they must indicate with nomenclature the correct use for the user.												
19	Manual	A use, maintenance, and storage manual must be attached to each vest in Spanish.												
20	Insurance policy commercial responsibility, civil and for damages	The awarded company must present a policy of civil liability for a value equal to or greater than twenty million (20,000,000.00) US dollars.												
21	Lots of sizes of the supplying companies (size range)	<p>The bidding company must have its size molds for the bulletproof garments of the model to be offered, from C1 to C5 according to the NIJ 0101.06 standard. This will be verified in the following link. https://cjtec.org/compliance-testing-program/compliant-product-lists/</p> <table border="1"> <thead> <tr> <th>SIZE RANGE</th> <th>C1</th> <th>C2</th> <th>C3</th> <th>C4</th> <th>C5</th> </tr> </thead> <tbody> <tr> <td></td> <td>extra small</td> <td>small</td> <td>medium</td> <td>large</td> <td>extra large</td> </tr> </tbody> </table>	SIZE RANGE	C1	C2	C3	C4	C5		extra small	small	medium	large	extra large
SIZE RANGE	C1	C2	C3	C4	C5									
	extra small	small	medium	large	extra large									

CONSIDERATION: Offers will be accepted only if they meet the minimum characteristics established in the technical sheets, these will be reviewed by the designated technical commission for their acceptance in the pre-contractual stage.



MINISTERIO DEL INTERIOR



Reference photographs of the Level IIIA – III ballistic protection vest



Referential photograph of the Level II ballistic protection vest



8. WORK METHODOLOGY

MINISTERIO DEL INTERIOR

After signing the contract, the contract administrator shall provide the list of sizes, gender, and blood type of the ballistic protection vests, which shall be validated by the National Directorate of Human Resources Management of the National Police, information that shall be delivered within a maximum period of 5 days.

The contractor, within 5 days after signing the contract, shall send the design catalogs of each vest lining (preventive male-female, investigative/intelligence male-female, tactical male) to the administrator for approval, who may request the support of the reception committee, so that within 5 days after signing the contract, the contractor is informed of the result of the respective acceptance.

The contractor shall be obliged to train the employees in the use, handling, technical characteristics, maintenance, and delivery of manuals containing the technical specifications, correct use, maintenance, and storage of the goods purchased. The number and schedule of training sessions shall be determined by the Employer through the Contract Administrator; such training shall be carried out in Ecuador.

The manuals required in the technical specifications section shall be submitted with each vest to be delivered, translated into Spanish.

8.1 BALLISTIC TESTS PRIOR TO EACH DELIVERY

The number of ballistic resistance tests shall be submitted in accordance with NIJ 0101.06.

The contract administrator will maintain communication with the contractor for the execution of ballistic resistance tests to the ballistic panels and plates in laboratories certified for this purpose, in the place that the contractor deems pertinent, all expenses generated by such tests will be covered by the contractor.

The contractor shall submit the results of the ballistic resistance tests of the ballistic panels and plates issued by the laboratory, duly certified and with the seals and apostille of authenticity, to the contract administrator.

The vests and their components (ballistic plates and panels) used for the ballistic resistance tests must be replaced by new ones of the same characteristics and sizes; these costs must be assumed by the contractor and will not affect the contract amount.

8.2 RECEPTION OF ASSETS

The supplier shall cover all necessary activities and costs, such as transportation, warehousing, customs fees, customs clearance costs, cost of the corresponding insurance, cost of testing, cost of training in Ecuador and all expenses incurred until the assets are delivered in Ecuador, Province of Pichincha, Canton Quito, warehouses of the Storage Department of the National Logistics Directorate, Calle de los Cedros and Galo Plaza Lasso Avenue.

The contract administrator together with the contractor will coordinate the necessary actions before the public entities related to the importation of the assets, i.e., the management in the VUE and the use of the token, if applicable.

MINISTERIO DEL INTERIOR

During the reception of the assets, in the event of detecting faults, flaws, broken, or discoloration, among others, that do not comply with the requirements of the contracting entity, they will be returned, and a record will be made of the new items found. All the vests and those that must be replaced due to the novelties found must be delivered within the contractual term, otherwise, the fines foreseen for the present contracting in the Resolution of Initiation of the process generated by the Ministry of Interior will be applied.

Upon delivery of the goods, the Contractor shall deliver the NIJ Standard Certification in force at the date of delivery of the assets.

9. INFORMATION AVAILABLE TO THE ENTITY

Technical data sheets are available for level IIIA ballistic vests for the Preventive Subsystem, level IIIA - level III for Special Units and level II for the Investigative and Intelligence Subsystem of the National Police.

Distribution of types, sizes, gender, and quantities of ballistic protection vests for the National Police.

10. EXPECTED PRODUCTS

RD.	ITEM	CPC CODE	QUANTITY
01	LEVEL III BALLISTIC PROTECTION VESTS	282260031	1.035
02	LEVEL IIIA BALLISTIC PROTECTION VESTS	282260031	42.048
03	LEVEL II BALLISTIC PROTECTION VESTS	282260031	8.787
TOTAL NUMBER OF BALLISTIC PROTECTION VESTS			51.870

11. EXECUTION TIME

The delivery term will be up to 180 calendar days as determined in the Market Study, and may be improved by the bidder.

The term shall be deemed to commence on the day following written notification by the contract administrator of the availability of the advance payment in the bank account provided by the contractor.

Partial deliveries will be accepted, for which the bidder will submit a plan or schedule of deliveries in relation to time and quantity, already considered in Ecuador, Province of Pichincha, Canton Quito, warehouses of the Storage

MINISTERIO DEL INTERIOR

Department of the National Logistics Directorate, Calle de los Cedros and Galo Plaza Lasso Avenue.

12. FORM AND TERMS OF PAYMENT

Payments or transfers shall be made in legal currency in Ecuador (United States Dollars) and shall not be made to accounts in tax havens.

Payment shall be made with an advance payment of 50% of the contract amount, the remaining amount shall be paid in accordance with the partial deliveries according to the delivery schedule approved by the Employer, from which the percentage of the advance payment shall be amortized.

Payments will be made after a report and request for payment by the contract administrator, subscription of the partial or final delivery receipt, invoices and entries in the eSBYE asset control system, in order to make deliveries to the end user in accordance with the partial or total deliveries.

The delivery-reception certificates, whether they are, partial or definitive, as the case may be, must be signed by:

- Contractor
- Contract Administrator
- Technician not involved in the execution of the contract
- Technician of the Department of Storage - National Police Provisions Warehouse

13. PLACE OF DELIVERY OF THE VESTS

Delivery will be made in Ecuador, Province of Pichincha, Canton Quito, Warehousing Department of the National Logistics Department, Calle de los Cedros and Galo Plaza Lasso Avenue.

14. REFERENCE BUDGET.

It is included in the Market Study

15. INCOTERM

The prices offered shall be considered in the INCOTERM 2020 DDP, to the Storage Department of the DNL of the National Police located in the city of Quito, at De Los Cedros Street and Galo Plaza Lasso Avenue.

16. EVALUATION AND GRADING METHODOLOGY

STAGE COMPLIES DOES NOT COMPLY

Minimum Requirements:

MINISTERIO DEL INTERIOR

MINIMUM REQUIREMENTS	COMPLIES	DOES NOT COMPLY	OBSERVATIONS
Integrity of the offer			
Compliance with Technical Specifications			
INCOTERM 2020 DDP Compliance			
Specific Experience			
Other parameters determined by the Entity			

Failure to comply with any of the minimum requirements under the "Compliant / Non-Compliant" methodology will be cause for rejection of the bid.

16.1. Integrity of the Offer

The integrity of the bids will be evaluated considering the presentation of the Bid Forms, which must be sent digitally with their respective electronic signature or electronic signature certificate to the following e-mail address: adquisicion.internacional@ministeriodelinterior.gob.ec ; or other means determined by the contracting entity and that guarantees the greatest concurrence of participants.

16.2. Compliance with Technical Specifications

The bidder shall comply with what is requested in the Technical Specifications, taking into account certifications, weights, and gender of the type of vest (male-female).

The bidder must submit a letter of commitment, through which he will guarantee the validity of the NIJ Certification of the ballistic protection vests offered, until the end of the contractual stage, that is, until the delivery-reception of the goods.

16.3. Experience

The bidder must accredit experience in the manufacture and/or sale of ballistic protection vests, for which it must submit delivery-reception certificates, invoices, purchase orders or international contracts, duly apostilled, for an amount equal to or greater than 20% of the referential budget, obtained during the last five (5) years prior to the publication of the procedure.

MINISTERIO DEL INTERIOR

16.4. Other parameters resolved by the Entity

Nro.	Description	Dimension or /Features
1	Official Certificate of Standard NIJ IIIA 0101.06, for level IIIA ballistic panels.	<p>A simple copy of the active certificate, officially certified by the Standard NIJ IIIA 0101.06 gender-specific (male/female) issued by the authorized entity with translation into the Spanish language. The models offered must be duly identified in the following NIJ link:</p> <p>https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>
2	Official Certificate of Standard NIJ II 0101.06, for level II ballistic panels.	<p>A simple copy of the active certificate, officially certified by the Standard NIJ II 0101.06 gender-specific (male/female) issued by the authorized entity with translation into the Spanish language. The models offered must be duly identified in the following NIJ link:</p> <p>https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>
3	Official Certificate of Standard NIJ III 0101.06, for level III ballistic plates.	<p>A simple copy of the active certificate, officially by the Standard NIJ III 0101.06 issued by the authorized entity with translation to the Spanish language. The models offered must be duly identified in the following NIJ link:</p> <p>https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>

MINISTERIO DEL INTERIOR

4	Civil Liability Policy	<p>The contractor shall issue a policy covering the three types of vests. The policy refers to a liability policy (Art. 752 of the Code of Commerce) and for damages for a value equal to or greater than USD 20,000,000.00 (twenty million dollars of the United States of America) and must be in force for the duration of the technical guarantee of the goods.</p> <p>The contractor may provide any of the following guarantees:</p> <p>Guarantee instrumented in an unconditional and irrevocable insurance policy, with immediate collection, issued by an insurance company established in Ecuador, whose risk rating is AAA.</p> <p>For the submission of bids, it shall be sufficient to submit a letter of commitment detailing the type of policy, amount and term of the policy.</p>
---	------------------------	--

<p>In the event that there is a tie in the economic bids, the following procedure shall be followed.</p>	<p>The bid with the best delivery time and the highest quantity of goods delivered as offered in the delivery schedule will be selected.</p>
--	--

17. SECTION VI: WARRANTIES

The guarantees detailed below shall be presented prior to the execution of the contract and its respective notarization.

17.1. Faithful Compliance

As security for the performance of the contract, the successful bidder, before or at the time of signing the contract, shall furnish guarantees for an amount equivalent to five (5%) percent of the contracted value.

The contractor may provide any of the following guarantees:

MINISTERIO DEL INTERIOR

1. Unconditional, irrevocable and immediately collectible guarantee, granted by or through a bank or financial institution established in Ecuador;
2. Guarantee in the form of an unconditional and irrevocable insurance policy, for immediate collection, issued by an insurance company established in Ecuador, whose risk rating is AAA;

Any fines imposed on the contractor may be charged against the performance bond.

17.2. Good Use of Advance Payment

In order to receive the advance payment, the contractor must previously provide guarantees for the same value of the advance payment, which will be reduced in the proportion, that the advance payment is amortized, or the goods are provisionally received.

The contractor may provide any of the following guarantees:

1. Unconditional, irrevocable and immediately collectible guarantee, granted by or through a bank or financial institution established in Ecuador;
2. Guarantee in the form of an unconditional and irrevocable insurance policy, for immediate collection, issued by an insurance company established in Ecuador, whose risk rating is AAA.

17.3. Civil liability

a. Civil liability policy for the pecuniary indemnities that, in accordance with the laws, the insured is obliged to pay, as civilly liable for the damages caused to third parties due to events foreseen in the contract, for a value equal to or greater than USD 20,000,000.00 (twenty million dollars of the United States of America), and shall be in force for the duration of the technical guarantee of the goods. This policy shall comply with the provisions of Art. 752 and following of the Code of Commerce, the general, particular and special conditions of the insurance contract corresponding to this line of business.

The contractor must provide the following guarantee:

Guarantee instrumented in an unconditional and irrevocable insurance policy, with immediate collection, issued by an insurance company established in Ecuador, whose risk rating is AAA.

The policy must be delivered by the contractor prior to the signing of the

MINISTERIO DEL INTERIOR

contract.

For the submission of bids, the presentation of a letter of commitment detailing the type of policy and amount shall be sufficient.

17.4. Technical Warranty

The contractor shall submit a technical guarantee from the manufacturer that assures the quality of the goods to be acquired in accordance with NIJ 0101.06 standard, duly certified, as of the date of the final acceptance of the goods, in accordance with the following detail: This guarantee shall be submitted in documentary form and apostilled or notarized.

Ballistic protection vest with molle system, level IIIA.

Technical Warranty of the Ballistic Panels: Minimum five (5) years counted from the date of signature of the partial or definitive delivery receipt.

Technical Warranty of the outer lining: Minimum 5 years.

Ballistic protection vest with molle system, level IIIA and level III plate holder.

Technical Warranty of ballistic panels and ballistic plates: Minimum five (5) years.

Technical Warranty of the exterior lining and plate holder: Minimum 5 years (each one), duly certified.

Inner (concealed) ballistic protection vest level II

Ballistic Materials Technical Warranty: Minimum five (5) years on the ballistic panel.

Technical Warranty of liners: Minimum 5 years.

During the term of the guarantee, if manufacturing defects or poor quality are detected, the contractor will be notified within 10 days of their identification, and must replace the panels, plates or linings, notified within 10 days in Ecuador, at the address indicated by the contract administrator. The costs of replacement, transportation and logistics shall be borne by the contractor in application of the technical guarantee.

18. SECTION VII: FINES

Failure by the Contractor to comply with any of the obligations set forth in the bidding documents and in this instrument for the delivery of the goods shall be sanctioned with the imposition of a fine equivalent to three times one thousand (3X1000) of the value of the obligations (vests to be delivered) that are pending

MINISTERIO DEL INTERIOR

execution, as established in the contract, without prejudice to the Contractor's obligation to remedy the fault or irregularity within 24 hours of notification by the Contract Administrator, except in the event of an act of God or force majeure, as provided for in Article 30 of the Codification of the Ecuadorian Civil Code, in which case an extension or suspension of the deadline must be processed, as appropriate.

In the event that the amounts exceed 5% of the total amount of the Contract, the Contracting Party shall enforce the collection of such fine through the guarantee of faithful performance of the contract and shall unilaterally terminate the contract. For this purpose, the Ministry of the Interior will indicate in the Resolution of Initiation of the Process the respective legal framework, as well as the procedure.

Procedure for the imposition of fines on the contractor.

In any case in which the contractor incurs in the causes for the determination of a fine, the following procedure must be followed:

The contract administrator, in a justified manner, through a reasoned report, shall determine the non-compliances and the amounts of the fines that may be applicable. This report shall be signed within a term of seven (7) days from the event giving rise to the non-compliance. The term days shall be understood as working days in the Ecuadorian calendar.

This report shall be made known to the contractor, within a maximum term of three (3) days of its subscription, in order to respect due process. The contractor has a term of five (5) days to exercise its right to defense, with its response or in the absence thereof, the contract administrator shall impose the fines that may be applicable in a justified and reasoned manner, by means of an administrative act signed by the highest authority of the Contracting Party, which shall be notified to the contractor within a maximum term of three (3) days of its issuance. Once notified, the fine will be discounted.

19. TERM OF THE OFFER

The bids shall be valid until the date of the conclusion of the contract, and the term may be extended at the discretion of the Contracting Agency.

20. OBLIGATIONS OF THE CONTRACTOR

- a. Term for the attention or solution of requests or problems: 5 days counted from the request made by the contractor, by e-mail.
- b. To effectively and timely comply with the obligations established in the contract and in the documents that are part of the same.

MINISTERIO DEL INTERIOR

- c. To sign the partial and/or definitive delivery-receipt certificate, provided that all obligations under the contract have been fulfilled.
- d. Appoint the contract reception committee and inform the contractor with the data of the designated persons.
- e. The contract administrator will prepare the partial and/or final delivery of the goods upon delivery of the ballistic protection vests, to the satisfaction of the contractor.
- f. To make timely payments generated by this contract.
- g. It will not be considered to request trips or commissions abroad to verify any technical or administrative aspect related to this contracting.

21. OBLIGATIONS OF THE CONTRACTOR

The contractor's obligations, in addition to those indicated in the "TECHNICAL SPECIFICATIONS" section of the bidding documents, are as follows:

- a) Comply with the provisions of the technical specifications, bidding terms and conditions and contract.
- b) Sign the partial or definitive delivery-receipt certificate, provided that all obligations under the contract have been fulfilled.
- c) Priority attention to the requirements of the contracting entity in the execution of the contract.
- d) To be responsible for the full performance of the contract, except in the case of force majeure or acts of God that prevent the performance of the same, duly justified, and the Contracting Agency shall have the power to verify and approve the same.

22. PLACE AND MANNER OF SUBMISSION OF BIDS

The bids must be submitted by e-mail adquisicion.internacional@ministeriodelinterior.gob.ec according to the schedule provided for this purpose in the respective resolution. The bids must be signed with an electronic signature certificate or digital signature.

23. TYPE OF AWARD.

Partial according to the analysis made by the technical commission that acted in the pre-contractual stage.

MINISTERIO DEL INTERIOR

SECTION III CONDITIONS OF THE PROCEDURE

3.1 Procedure Schedule: The schedule that will govern the procedure will be as follows:

No.	Concepto	Día	Hora
1	Date of publication of the procedure	28/4/2023	17:00
2	Deadline for questions	3/5/2023	17:00
3	Deadline for responses and clarifications	5/5/2023	21:00
4	Deadline for submission of technical and financial bids	10/5/2023	14:00
5	Deadline for opening of bids	10/5/2023	15:00
6	Deadline to request validation of errors	12/5/2023	19:00
7	Deadline for error validation	14/5/2023	19:00
8	Estimated award date	16/5/2023	18:30

3.2 Minimum bidding requirements and conditions

Requirement/ Condition	Description
Technical Specifications	According to number 7 of the technical specifications document dated April 18, 2023, which are part of the present bidding document
Methodology of work	The operational execution of the contract will be carried out in accordance with the stipulations of number 8 of the technical specifications document dated April 18, 2023, which form part of the present bidding documents.
Delivery time	The delivery term will be up to 180 calendar days as determined in the Market Study, which may be improved by the bidder. The term will be considered as of the day following written notification by the contract administrator of the availability of the advance payment in the bank account provided by the contractor. Partial

MINISTERIO DEL INTERIOR

	deliveries will be accepted, for which the bidder shall submit a plan or schedule of deliveries in relation to time and quantity.
Method of payment	Payment will be made with an advance payment of 50% of the contract amount, the remaining amount will be paid in accordance with the partial deliveries according to the delivery schedule approved by the Contracting Party, from which the percentage of the advance payment will be amortized, other considerations set forth in number 8 of the technical specifications document dated April 18, 2023, which are part of these specifications.
Place of delivery of the object of the contract	Delivery will be made in Ecuador, Province of Pichincha, Canton Quito, Warehousing Department of the National Logistics Department, Calle de los Cedros and Galo Plaza Lasso Avenue.
Economic offer	It must be less than the reference budget established by the contracting entity in the corresponding market study.
Incoterm	DDP - (Delivery Duty Paid) – Incoterm 2020
Evaluation methodology	Satisfactory / Not satisfactory
Integrity of the offer	The integrity of the bids will be evaluated considering the presentation of the Bid Forms, which must be sent digitally with their respective electronic signature or electronic signature certificate to the following e-mail address: adquisicion.internacional@ministeriodelinterior.gob.ec; or other means determined by the contracting entity and that guarantees the greatest concurrence of participants.
Specific Experience	The bidder must accredit experience in the manufacture and/or sale of ballistic protection vests, for which it must submit delivery-reception certificates, invoices, purchase orders or international contracts, duly apostilled, for an amount equal to or greater than 20% of the referential budget, obtained during the last five (5) years prior to the publication of the procedure.
Official Certificate of Standard NIJ IIIA 0101.06, for level IIIA ballistic panels.	Other parameters resolved by the Entity of the technical specifications document dated April 18, 2023, which are part of this bidding document.
Official Certificate of Standard NIJ II 0101.06, for level II ballistic panels.	Other parameters resolved by the Entity of the technical specifications document dated April 18, 2023, which are part of the present bidding documents.
Official Certificate of Standard NIJ III 0101.06, for level III ballistic plates.	Other parameters resolved by the Entity of the technical specifications document dated April 18, 2023, which are part of the present bidding documents.
Civil Liability Policy	According to the provisions of 16.4. and 17.3 of the

MINISTERIO DEL INTERIOR

	technical specifications document dated April 18, 2023, which are part of the present bidding document.
Performance Bond	In accordance with the stipulations of 17.1. of the technical specifications document dated April 18, 2023, which are part of the present bidding document.
Advance payment guarantee	As established in 17.2. of the technical specifications document dated April 18, 2023, which are part of the present bidding documents.
Technical Guarantee	In accordance with the stipulations of 17.4. of the technical specifications document dated April 18, 2023, which are part of the present bidding document.
Duration of the offer	The bids shall be valid until the date of conclusion of the contract, which may be extended by the Contracting Agency.
Place and form of presentation of bids	The bids must be submitted by electronic mail: adquisicion.internacional@ministeriodelinterior.gob.ec according to the schedule provided for this purpose in the respective resolution. The bids must be signed with an electronic signature certificate or electronic signature.
Type of award	Full or partial

3.3 Verification and Evaluation of Technical Offers

3.3.1 Integrity of the bids: The integrity of the bids will be evaluated considering the presentation of the Bid Forms, which must be sent digitally with their respective electronic signature or electronic signature certificate to the mail:

adquisicion.internacional@ministeriodelinterior.gob.ec;

or other means determined by the contracting entity that guarantees the greatest number of participants.

After this verification, the contracting entity will determine if it will carry out the stage of validation of errors, through which it will request the bidders to whom it applies, corrections of formal errors, or clarifications of their offer.

3.3.2. Evaluation of the offer: the offers will be evaluated through the methodology complies/does not comply. Since it is considered a standardized good, the bid with the best economic proposal will be awarded, provided that it complies with all the minimum requirements and conditions requested by the contracting entity.

SECTION IV OBLIGATIONS OF THE PARTIES

MINISTERIO DEL INTERIOR

4.1 OBLIGATIONS OF THE CONTRACTOR

- a. Term for the attention or solution of requests or problems: 5 days from the request made by the contractor, by e-mail.
- b. To effectively and timely comply with the obligations established in the contract and in the documents that are part of the same.
- c. To sign the partial and/or definitive delivery-receipt certificate, provided that all obligations under the contract have been fulfilled.
- d. Appoint the contract reception committee and inform the contractor with the data of the designated persons.
- e. The contract administrator will prepare the partial and/or final delivery of the goods upon delivery of the ballistic protection vests, to the satisfaction of the contractor.
- f. To make timely payments generated by this contract.
- g. It will not be considered to request trips or commissions abroad to verify any technical or administrative aspect related to this contracting.

4.2 CONTRACTOR'S OBLIGATIONS

The contractor's obligations, in addition to those indicated in the "TECHNICAL SPECIFICATIONS" section of the bidding documents, are as follows:

- a. To comply with the provisions of the technical specifications, bidding documents and contract.
- b. To sign the partial or definitive delivery-receipt certificate, provided that all obligations under the contract have been fulfilled.
- c. Priority attention to the requirements of the contracting entity in the execution of the contract.
- d. To be responsible for the full performance of the contract, except in the case of force majeure or acts of God that prevent the performance of the same, duly justified, with the Contracting Agency having the power to verify and approve the same.

MINISTERIO DEL INTERIOR

SECTION V BID SUBMISSION FORMS

INTERNATIONAL PURCHASE “CI-MDI-001-2023

SINGLE ENVELOPE

Sirs
Highest Authority or its delegate
MINISTRY OF INTERIOR
Present

PRESENTED BY: _____

SECTION V. OFFER FORM

BIDDER'S NAME:

1.1 PRESENTATION AND COMMITMENT

The undersigned, in response to the call made by the Ministry of Interior for the Acquisition of ballistic protection vests for the National Police, after examining the specifications of this procedure, by submitting this offer for (*his own rights, if he is a natural person*) / (*legal representative or attorney of if he is a legal person*), (*common attorney of..., if it is an association or consortium*) states that:

MINISTERIO DEL INTERIOR

1. The bidder is an eligible provider in accordance with international provisions and is not listed as disabled by: United Nations (http://www.un.org/sc/committees/list_compend.shtml); European Union (http://eeas.europa.eu/cfsp/sanctions/consol-list_en.htm); France (http://www.tresor.economie.gouv.fr/4248_liste-nationale)), the Organic Law of the National Public Procurement System, LOSNCP, its General Regulations, and other regulations issued by the National Public Procurement Service.
2. The only person or persons interested in this offer is or are named in it, without incurring in acts of concealment or simulation so that subjects disqualified from contracting with the Ecuadorian State do not appear.
3. By presenting this offer, it complies with all the general, sectoral and special regulations applicable to your economic activity, profession, science or trade; and, that the equipment and materials that will be incorporated, as well as those that will be used for its execution, in the event of awarding the contract, will be owned by the bidder or leased and will have all the permits required for their use.
4. It will supply the labor, equipment and materials required for the fulfillment of its obligations, in accordance with the specifications; *will supply all the goods offered, new from the factory, complete, ready for immediate use, in accordance with the characteristics detailed in this offer and the requested technical specifications (goods) will provide the services, in accordance with the specifications, technical specifications, terms of reference and instructions (services)*; within the term and for the prices indicated in the Single Offer Form; that when presenting this offer, it has considered all the mandatory costs that it should and must assume in the contractual execution, especially those related to current social, labor, social security, environmental and tax obligations of the country where the economic activity is carried out.
5. Under oath, he expressly declares that it has not offered, offers or will offer, and has not made or will make any illegitimate payment, loan or service or prohibited by the internal and external legislation of the contracting countries; entertainment, travel or gifts, to any official or worker of the contracting entity that had or has to do with this contracting procedure in its planning, programming, selection, contracting or execution stages, including preparation of the specifications, approval of documents, qualification of offers, selection of contractors, adjudication or declaration of void procedure, reception of products or services, administration or supervision of contracts or any other intervention or decision in the pre-contractual or contractual phase.
6. You accept that in the event that a violation of the commitments established in this form is verified, the contracting entity will disqualify you as a bidder, or

MINISTERIO DEL INTERIOR

immediately terminate the contract, observing due process, for which it agrees to answer for the damages that such violations have caused.

7. Declares that it is obliged to keep the confidentiality of the information entrusted and to which it may have access during the visits prior to the evaluation of the offer and by virtue of the development and fulfillment of the contract in the event of being awarded, as well as accepts that the Non-observance of what has been stated will lead the contracting entity to exercise legal actions according to current Ecuadorian legislation.
8. Knows the conditions of the contract, has studied the technical specifications, and other information in the specifications, the clarifications and responses made in the procedure, and to that extent waives any subsequent claim, citing ignorance for these reasons.
9. It understands that the amounts indicated in the Bid Form for this contract are exact and, therefore, may not vary for any reason.
10. If awarded, it states that it will sign the contract committing to execute the supply based on the quantities, technical specifications, and conditions, the same ones that it declares to know; and accordingly, it cannot adduce error, default or any non-conformity, as a cause to request an extension of the term.
11. Knows and accepts that the contracting entity reserves the right to award the contract, cancel or declare void the procedure, if it suits the national or institutional interests, without said decision causing any type of reparation or compensation in its favor.
12. Submits to the regulatory provisions agreed upon by the parties, both in the contractual execution and in the resolution of conflicts.
13. Guarantees the veracity and accuracy of the information and documentation provided; as well as the statements made for this contracting procedure; contained in the offer documents, forms and other annexes. The Ministry of Interior may carry out all the inquiries to verify or obtain clarifications and additional information on the technical, economic and legal conditions of the offeror. You accept that, in the event that the Ministry of Interior administratively verifies that the bidder or contractor has altered or misrepresented the documentation or information that makes up the offer, said falsehood will be grounds for disqualifying it from the contracting procedure, declaring it unsuccessful or defaulted contractor; without prejudice to the legal actions that may take place.

MINISTERIO DEL INTERIOR

14. It will not hire minors to carry out any activity during the contractual execution; and that, in the event that the authorities of the branch determine or discover such practice, they will submit and accept the sanctions that may derive from such practice, including the unilateral and early termination of the contract, with the pertinent legal and regulatory consequences.
15. It freely and voluntarily declare that the origin of the funds and resources used for this international purchase procedure are of legal origin.
16. In the event that it is awarded, it agrees to:
- a) Sign the contract within a term of fifteen (15) days from the notification with the award resolution. As an essential requirement prior to signing the contract, it will present the corresponding guarantees.
 - b) Accept that, in the event of refusing to sign the respective contract within the term indicated in the previous paragraph, the contracting entity will declare it a failed successful bidder and, as such, will proceed to contract with the next bidder in the order of priority as a result of the present procedure. The international bidder declared unsuccessful successful bidder may not participate in any subsequent international purchase procedure, either for the same object of contracting or for another.
 - c) Guarantee faithful compliance with all those established in the pre-contractual specifications, documentation considered relevant published in the contracting procedure and the respective contract.
 - d) Accept that, in case of breach of contract, the contracting entity will proceed to collect the respective fine as stated in the pre-contractual document. In the event that the values of the fine exceed 5% of the total amount of the Contract, the Contracting Party will execute the collection of said fine through the guarantee of faithful performance of the contract and will unilaterally terminate the contract.

1.2 GENERAL DATA OF THE BIDDER.

BIDDER'S NAME:

GENERAL DATA OF THE BIDDER

Stake:	Individual/in association
Bidder's name:	
Nationality:	

MINISTERIO DEL INTERIOR

R.U.C.	
Nature:	Individual person/company/commercial firm

BIDDER'S ADDRESS

Province/ State:	
Canton / City:	
Main Street:	
Number:	
Secondary Street:	
ZIP Code	
Phone number:	
E-mail:	

1.3 TABLE OF QUANTITIES AND PRICES:

COMPANY NAME:				
NAME OF MANUFACTURER OF HONEYCOMBS AND BALLISTIC PLATES (AS RECORDED IN THE NIJ):				
LEVEL IIIA BALLISTIC PANEL MODEL (AS STATED IN THE NIJ):				
LEVEL II BALLISTIC PANEL MODEL (AS RECORDED IN THE NIJ):				
LEVEL III BALLISTIC PLATE MODEL (AS STATED IN THE NIJ):				
QUOTATION No.				
DATE OF QUOTATION				
FOR	MINISTRY OF INTERIOR			
MINISTRY'S RUC	1798194735001			
ADDRESS	AV. DE LOS SHIRYS Y EL TELÉGRAFO, QUITO – ECUADOR			
SUPPLIER CONTACT NUMBERS				
COUNTRY OF THE SUPPLIER				
ADDRESS OF THE SUPPLIER				
SUPPLIER'S ZIP CODE				
TOPIC	BALLISTIC PROTECTION VESTS			
SUPPLIER IDENTIFICATION NUMBER				
ITEM	DESCRIPTION OF THE PROPERTY	QUANTITY	PRICE/UNIT	PRICE/TOTAL

MINISTERIO DEL INTERIOR

1	BALLISTIC PROTECTION VESTS LEVEL IIIA	42.048		
2	BALLISTIC PROTECTION VESTS LEVEL II	8.787		
3	BALLISTIC PROTECTION VEST LEVEL IIIA - III	1.035		
			SUBTOTAL:	
			TAX:	
DELIVERY TIME:	<p align="center">INFORMATION TO BE FILLED IN BY THE SUPPLIER. (max. 180 days) YOU CAN PROPOSE TOTAL OR PARTIAL DELIVERY TIMES, ALWAYS CONSIDERING THE MOST OPTIMAL TIMES FOR THE URGENT NEED OF THE PRODUCT</p>		TOTAL	
VALIDITY OF THE OFFER	<p align="center">INFORMATION TO BE FILLED IN BY THE SUPPLIER (not less than 90 days)</p>			
PAYMENT METHOD	<p align="center">INFORMATION TO BE FILLED IN BY THE SUPPLIER (advance payment cannot exceed 50%)</p>			
DELIVERY	<p align="center">INFORMATION TO BE FILLED IN BY THE SUPPLIER. IT WILL DESCRIBE WHETHER THE DELIVERY WILL BE MADE FOR THE WHOLE LOT OR FOR PARTIAL DELIVERIES, WHICH MUST BE ASSOCIATED WITH THE DELIVERY TIME. IF NECESSARY, YOU CAN ATTACH A PROPOSAL FOR THE DELIVERY TIME AND QUANTITIES.</p>			

(Note: DDP incoterm 2020 prices)

TOTAL OFFER PRICE: (in numbers and letters), DDP incoterm 2020

MINISTERIO DEL INTERIOR

1.4 COMPONENTS OF THE (GOODS OR SERVICES) OFFERED

The bidder must fill out the format of the table of the components of the goods, which must include each and every one of the items offered, which respond to the requirements of the Ministry of Interior.

BALLISTIC PROTECTION VEST WITH MOLLE SYSTEM LEVEL IIIA PREVENTIVE SUBSYSTEM		
QUANTITY: 42,048 MALE/FEMALE BALLISTIC PROTECTION VESTS		
VEST WITH BALLISTIC PROTECTION FOR OUTDOOR USE	REQUESTED TECHNICAL SPECIFICATIONS	TECHNICAL SPECIFICATIONS OFFERED
Vest with ballistic protection (Male)	Ergonomic outer garment for use by police officers, with frontal, lateral and back ballistic protection (360 degrees), side adjustments with flaps, in sizes XS, S, M, L and XL or equivalent, according to the sizes established in the Information System of the National Police. The design of the vest must guarantee the user's ease of movement, flexibility, agility and comfort. Each bidder must detail the measurements in centimeters of each size.	
Vest with ballistic protection (Female)	Exclusive ergonomic outer garment for female police officers that avoids the pressure of a conventional vest in the chest area. With front, side and back protection (360 degrees), and side adjustments with wings, in sizes XS, S, M and L, according to the sizes established in the National Police Information System. The design of the vest must guarantee the user's ease of movement, flexibility, agility and comfort. Each bidder must detail the measurements in centimeters of each size.	
Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06.	

Maximum weight per square foot "ft²" of the female and male Level IIIA Ballistic Protection Panels. Does NOT include outer lining weight	MAN	WOMAN	
	Up to 1.0 lbs/ft ²	Up to 1.05 lbs/ft ²	
Maximum thickness of ballistic panels	Must have a maximum thickness or thickness of up to 0.28 inches		
Level IIIA ballistic panel material	Made of ballistic material with current technology of aramids, polyethylene or mixed (between aramids and polyethylene). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners or any evidence of poor construction, internally fastened at the top on both the left and right front and rear sides. The material of the ballistic panels must not be recycled, re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.		
Technical Guarantee of Ballistic Panels	Minimum, five (5) years.		
Identification	02 Patches for the vest (01 for each front and back side) thermo stamped type, with Velcro fastening on the front and back, white, NON-REFLECTIVE with the word "POLICE." Helvetica Bold font type, in capital letters, in clearly legible characters, each letter 50 mm high, with a width of 40mm. The stamping method must be in ink of special high adhesion so as to guarantee the permanence of the stamping until the end of the life of the vest taking into account the climatic conditions of the country. 01 blood type identification patches, which will go inside a rectangle of 3.5cm x 3cm, with white border, with Velcro.		

Material of the outer lining of the vest.	100% nylon, in a range of 500 to 600 denier, duly certified by textile laboratories according to national or international standards.	
Color and characteristics of the outer lining of the vest	The outer lining of the vest must be black, made of textile fibers with high parameters of color fastness to artificial light, fastness to exposure to the sun (UV rays), color fastness to washing; resistant to abrasion, tearing and water repellent, with MOLLE system (standard size) front and rear, internal lumbar support system proportional to the size of the vest, high quality Velcro, sewing and elastic, opening system quick release with Velcro, rear lining, handle system for easy drag or removal, front and rear pocket for level III plate. Additionally, these linings must allow the attachment of neck, throat, shoulder, upper arm and groin protections. The adjustment of the upper part (shoulders) must be carrier type, with regulation, in the internal part in contact with the skin with quick-drying, breathable and antibacterial 3D mesh. (The model of the outer lining and the plate holder can be modified at the convenience of the contracting entity). It must have anti-tear properties to protect the ballistic panels.	
Lumbar Restraint	The outer lining of the vest must have elastic lumbar support with an adjustable Velcro type point, of the same color as the vest lining, according to the size of the vest.	
Technical Guarantee of the outer lining and plate holder	Minimum five (5) years and duly certified	
Material and color of the inner faces of the outer lining (in contact with the body)	In 3D mesh, black color with antibacterial, anti-sweating and deodorizing material, resistant to environmental impacts and mold.	
Ballistic panel seal type	High frequency sealed closure, to ensure impermeability, without seams. Water and dust resistant.	

Adjustable points	In 4 points of adjustable adhesion, sides and shoulders with velcro.	
Product quality certificates from the manufacturer of ballistic vests	Each of the ballistic panels (anterior and posterior) must be certified active, officially by the NIJ IIIA Standard 0101.06 specific gender (male/female) issued by the authorized entity with translation into Spanish. The models offered must be duly identified in the following NIJ link: https://cjtec.org/compliance-testing-program/compliant-product-lists/	
Laboratory Certificate	Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ IIIA 0101.06 (refurbished and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.	
Level of trauma	Maximum 44 mm. (Standard NIJ 0101.06)	
Ballistic vest case	It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining, which fully covers the equipment, protecting it in storage from humid and dusty conditions, suitable for the vest, in sizes XS, S, M, L and XL. With handle for transport.	
Ballistic panel and lining information	The labeling of the specifications of the panels and their cover, will be in accordance with the provisions of the Standard NIJ 0101.06. They must indicate, with nomenclature, the correct use for the user. The labeling of the lining specifications will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.	
User manual	A manual of use, maintenance and storage must be attached to each vest in Spanish.	

Size ranges of bidding companies	<p>The bidding company must have its size molds for the bulletproof garments of the model to be offered, from C1 to C5, according to the NIJ 0101.06 standard. This will be verified in the following link.</p> <p style="text-align: center;">https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>					
	SIZE RANGE	C1	C2	C3	C4	C5
	EQUIVALENT	Too small	Small	Medium	Big	Very big

INTERNAL (HIDDEN) BALLISTIC PROTECTION VEST LEVEL II		
QUANTITY: 8,787 MALE/FEMALE BALLISTIC PROTECTION VESTS		
VEST WITH BALLISTIC PROTECTION FOR OUTDOOR USE	REQUESTED TECHNICAL SPECIFICATIONS	TECHNICAL SPECIFICATIONS OFFERED
Inner vest with ballistic protection (Male)	Garment for internal use (concealed), ergonomic, with frontal, lateral and back ballistic protection (360 degrees), side adjustments with wings, in sizes XS, S, M, L and XL or equivalent, according to the sizes established in the Information System of the National	

	Police. The design of the vest must guarantee the user's ease of movement, flexibility, agility, comfort and imperceptibility.		
Vest with ballistic protection (Female)	Ergonomic undergarment exclusively for women, that avoids the pressure of a conventional vest in the chest area. With front, side and back protection (360 degrees), and side adjustments with wings, in sizes XS, S, M and L, according to the sizes established in the National Police Information System. The design of the vest must guarantee the user's ease of movement, flexibility, agility, comfort and imperceptibility.		
Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06.		
Maximum weight per square foot "ft²" of the female and male Level IIIA Ballistic Protection Panels. Does NOT include outer lining weight	MAN	WOMAN	
	Up to 0.90 lbs/ft ²	Up to 0.90 lbs/ft ²	
Maximum thickness of ballistic panels	Must have a maximum thickness of up to 0.20 inches		
Level II ballistic panel material	Made of ballistic material with current technology of aramids, polyethylene or mixed (between aramids and polyethylene). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners or any evidence of poor construction, internally fastened at the top on both		

	the left and right front and rear sides. The material of the ballistic panels must not be recycled, re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.	
Technical Guarantee of Ballistic Panels	Minimum, five (5) years.	
Hidden lining materials	Lining for internal use (hidden) of Polyester and Cotton (70% Polyester and 30% cotton) maximum 250 denier, duly certified by textile laboratories, according to national or international standards.	
Color and characteristics of the inner lining (hidden)	02 Lining for internal use (hidden) 01 in white and 01 in black, high quality, easy to maintain and very resistant, quick-drying, breathable and antibacterial. With Velcro system that ensures a high level of comfort and perfect fit. (The model of the hidden lining can be modified at the convenience of the contracting entity). It must have anti-tear properties to protect the ballistic panels.	
Technical guarantee of the outer lining and plate holder.	Minimum five (5) years and duly certified	
Hidden inner lining material (in contact with the body).	In mesh, with antibacterial, anti-sweating and deodorizing material, resistant to environmental impacts and mold.	
Type of ballistic panel seal.	High frequency sealed closure, to ensure impermeability, without seams. Water and dust resistant.	
Adjustable points	In 4 points of adjustable adhesion, sides and shoulders with velcro.	
Product quality certificates	Each of the ballistic panels (front and rear) must be certified active, officially by the Official Standard NIJ II 0101.06 specific gender	

from the manufacturer of ballistic vests.	(male/female), issued by the authorized entity with translation into Spanish. The models offered must be duly identified in the following NIJ link: https://cjtec.org/compliance-testing-program/compliant-product-lists/													
Laboratory Certificate	Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ IIIA 0101.06 (refurbished and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.													
Level of trauma	Maximum 44 mm. (Standard NIJ 0101.06)													
Ballistic vest case.	It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining, which fully covers the equipment, protecting it in storage from humid and dusty conditions. Suitable for the vest, in sizes XS, S, M, L and XL. With handle for transport.													
Ballistic panel and lining information	The labeling of the specifications of the panels and their cover, will be in accordance with the provisions of the Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user. The labeling of the lining specifications will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.													
Manual	A manual of use, maintenance and storage must be attached to each vest in Spanish.													
Size ranges of bidding companies	<p>The bidding company must have its size molds of the bulletproof garments of the model to be offered, from C1 to C5 according to NIJ 0101.06. This will be verified in the following link.</p> <p>https://cjtec.org/compliance-testing-program/compliant-product-lists/</p> <table border="1"> <thead> <tr> <th>SIZE RANGE</th> <th>C1</th> <th>C2</th> <th>C3</th> <th>C4</th> <th>C5</th> </tr> </thead> <tbody> <tr> <td>EQUIVALENT</td> <td>Too</td> <td>Small</td> <td>Medium</td> <td>Big</td> <td>Very</td> </tr> </tbody> </table>	SIZE RANGE	C1	C2	C3	C4	C5	EQUIVALENT	Too	Small	Medium	Big	Very	
SIZE RANGE	C1	C2	C3	C4	C5									
EQUIVALENT	Too	Small	Medium	Big	Very									

		small				big	

**BALLISTIC PROTECTION VEST WITH MOLLE SYSTEM, LEVEL IIIA AND LEVEL III
PLATE HOLDER**

QUANTITY: 1,035 MALE BALLISTIC PROTECTION VESTS

Vest with ballistic protection for outdoor use	ESPECIFICACIONES TÉCNICAS SOLICITADAS	ESPECIFICACIONES TÉCNICAS OFERTADAS
Vest with ballistic protection (Male)	Ergonomic outer garment with frontal, lateral and back ballistic protection (360 degrees), neck, throat, shoulders, upper arms and groin region, with adjustable adjustment system to the body, in sizes XS, S, M, L and XL or equivalent, according to the sizes established in the Information System of the National Police. Each bidder must detail the measurements in centimeters of each size.	
Level IIIA ballistic panel protection level	Official Protection Standard NIJ IIIA 0101.06	
Level III ballistic plate	Official Protection Standard NIJ III 0101.06	
Maximum weight per square foot "ft²" of male level IIIA Ballistic Protection Panels and neck, throat, shoulder,	1.0 lbs/ft ²	

<p>upper arm and groin protections. Does NOT include the weight of the outer lining</p>		
<p>Maximum thickness of ballistic panels</p>	<p>It must have a maximum thickness of up to 0.28 inches.</p>	
<p>Maximum weight of Level III Stand-Alone Ballistic Protection Plates, Shooter cut</p>	<p>Maximum weight between the front and rear plates without the plate holder. It should not exceed 6.02 lbs. Stand-Alone "to be unique" (it is a modern ballistic plate, it must resist impacts by itself, without the need to place them on the soft panel) Shooter Cut "shooter's cut" (it is suitable for those who want to carry their rifle on their shoulder, without a plate getting in the way)</p>	
<p>Level IIIA ballistic panel material</p>	<p>Made of ballistic material with current technology of aramids, polyethylene or mixed (between aramids and polyethylene). Ballistic panels must be flexible throughout, free of wrinkles, bubbles, dents, tears, cracks, bent corners, sharp corners or any evidence of poor construction, internally fastened at the top on both the left and right front and rear sides. The material of the ballistic panels must not be recycled, re-manufactured, and must not have more than six (6) months of storage, for which the supplier must present the corresponding certification from the fiber manufacturing company.</p>	
<p>Level III ballistic plate material, Stand-Alone, Shooter cut</p>	<p>Hybrid composite material whose weight must not exceed 6.02 lbs., each with a tolerance of no more than 0.110231 lbs. Width 254 mm x length 304.8 mm, thickness 25.4 mm +/- 5 mm or 10" x 12" x 1". +/- 0.196" Stand-Alone "to be unique" (it is a modern ballistic plate, it must resist impacts by itself, without the need to place them</p>	

	on the soft panel) Shooter Cut (suitable for those who want to carry their rifle over their shoulder, without a plate getting in the way)	
Technical Guarantee of Ballistic Panels and Ballistic Plates	Minimum, five (5) years.	
Identification	01 blood type identification patch, which will go inside a 3.5cm x 3cm rectangle, with a white border, with Velcro. 02 Patches for the plate holder (01 for each face on the front and rear side) thermo-stamped type, with Velcro-type fastening on the front and back, black, NON-REFLECTIVE with the word "POLICIA" in Helvetica Bold font, in capital letters, in clearly legible characters. Each letter 50 mm high, with a width of 30 mm. The printing method must be in special high adhesion ink so as to guarantee the permanence of the printing until the end of the useful life of the vest, taking into account the weather conditions of the country. 01 blood type identification patch, which will go inside a 3.5cm x 3cm rectangle, with a black border, with Velcro.	
Material of the outer lining of the vest.	100% nylon, in a range of 500 to 600 denier, duly certified by textile laboratories according to national or international standards.	
Color and characteristics of the outer lining of the vest and plate holder	01 outer lining of the vest must be Black Color, made of textile fibers with high parameters of color fastness to artificial light, fastness to sun exposure (UV rays), color fastness to washing; resistant to abrasion, tearing and water repellent, with MOLLE system (standard size) front and back, high-quality internal lumbar support system in Velcro, according to the size of the vest. Sewing and elastic, opening system quick (quickly Clic), lining on the back, handle system for easy drag or removal, front and rear pocket for level III plate, with neck, throat, shoulder, upper	

	<p>arm and groin protections. The adjustment of the upper part (shoulders) must be carrier type, quick fastening quickly Clic with regulation. In the internal part in contact with the skin with 3D quick-drying, breathable and antibacterial mesh.</p> <p>01 plate holder for level III, with OD GREEN color molle system, made of textile fibers with high parameters of color fastness to artificial light, fastness to sun exposure (UV rays), color fastness to washing; resistant to abrasion, rupture or tearing and water repellent, quick opening system and rear lining with drag or extraction handle system. Additionally, this plate holder must allow the attachment of protections for the neck, throat, shoulders, upper region of arms and groin.</p> <p>(The model of the outer lining and the plate holder can be modified at the convenience of the contracting entity).</p> <p>It must have anti-tear properties to protect the ballistic panels.</p>	
Lumbar Restraint	The outer lining of the vest shall have elastic-type lumbar support with an adjustable Velcro-type point, the same colour as the vest lining.	
Technical guarantee of the outer lining and plate holder.	Minimum five (5) years (each), duly certified.	
Material and color of the inner faces of the outer lining and the outer plate holder (in contact with the body).	In 3D mesh, Black and OD GREEN respectively, with antibacterial, anti-sweating and deodorizing material, resistant to environmental impacts and mold.	
Type of ballistic panel seal.	High frequency sealed closure, to ensure impermeability, without seams. Water and dust resistant.	

Adjustable points	In 4 points of adjustable adhesion, sides and shoulders quickly click (quick opening system).	
Product quality certificates from the manufacturer of ballistic vests.	Each of the ballistic panels (front and rear) must be certified active, officially by Standard NIJ IIIA 0101.06 and the plates must be officially certified by Standard NIJ III 0101.06, issued by the authorized entity, with translation into Spanish. The models offered must be duly identified in the following NIJ link: https://cjtec.org/compliance-testing-program/compliant-product-lists/	
Laboratory Certificate	Apostilled certificate of all the ballistic resistance tests carried out with the Standard NIJ IIIA 0101.06 and Standard NIJ III 0101.06 (conditioned and new) by a laboratory accredited by the NIJ accompanied by its translation into Spanish.	
Level of trauma	Maximum 44 mm. (Standard NIJ 0101.06)	
Ballistic vest case.	It must be accompanied by a portable suitcase or tactical cover or black waterproof nylon lining that completely covers the equipment, protecting it in storage from humidity and dust conditions, suitable for both linings, in sizes XS, S, M, L and XL. With handle for transport.	
Information on panels, ballistic plates and linings	The labeling of the specifications of the ballistic panels and plates, will be in accordance with the provisions of the Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user. The labeling of the lining specifications will be in accordance with the provisions of Standard NIJ 0101.06, they must indicate with nomenclature the correct use for the user.	
User Manual	A manual of use, maintenance and storage must be attached to each vest in Spanish.	

Size ranges of bidding companies	<p>The bidding company must have its size molds of the bulletproof garments of the model to be offered, from C1 to C5 according to NIJ 0101.06. This will be verified in the following link.</p> <p style="text-align: center;">https://cjtec.org/compliance-testing-program/compliant-product-lists/</p>					
	SIZE RANGE	C1	C2	C3	C4	C5
	EQUIVALENT	Too small	Small	Medium	Big	Very big

1.5 BIDDER'S EXPERIENCE

No.	Contractor	Contract object	Contract value	Date of contract	Reception date

1.6 OTHER QUALIFICATION PARAMETERS PROPOSED BY THE CONTRACTING ENTITY

ITEM	REQUESTED PARAMETER	PARAMETER OFFERED
PLACE OF DELIVERY OF THE VESTS	The supplier must cover all the necessary activities and costs, such as transportation, storage, customs fees, customs exit expenses, cost of the	

	<p>corresponding insurance, cost of tests, cost of training, etc., until the goods are delivered in Ecuador, Province of Pichincha, Canton Quito, warehouses of the Storage Department of the National Directorate of Logistics, Calle de los Cedros and Av. Galo Plaza Lasso.</p>	
<p>GUARANTEES</p>	<p>The winning bidder will deliver the following guarantees:</p> <p>1. Faithful performance of the contract: To ensure compliance with the contract and to answer for the obligations incurred in favor of third parties, related to the contract, the successful bidder, before or at the time of signing the contract, will render guarantees for an equivalent amount five (5%) percent of its value.</p> <p>2. Proper Use of Advance: To receive the advance, the contractor must previously provide guarantees for the same value of the advance, which will be reduced in proportion as the former is amortized or the goods are provisionally received.</p> <p>3. Civil liability: Of the policies required in the technical specifications section, it is clarified that, of the entire purchase, the contractor will issue a policy that will cover the three types of vests. The policy refers to a commercial, civil liability and for damages for a value equal to or greater than twenty million dollars of the United States of America (20,000,000.00 USD).</p>	

	<p>The contractor may render any of the following guarantees:</p> <ol style="list-style-type: none"> 1. Unconditional, irrevocable and immediate collection guarantee, granted by a bank or financial institution established in Ecuador or through them; 2. Bond instrumented in an insurance policy, unconditional and irrevocable, for immediate collection, issued by an insurance company established in Ecuador, whose risk rating is AAA. 	
TRAINING:	Storage and maintenance training for the three types of vests required in the technical specifications will be carried out in person, lasting at least 2 hours for 100 police officers. At the end of the training, the contractor will issue a certificate of participation.	

The offeror may increase any other format that leads to demonstrating its legal or economic technical capacity.

For proof of what is offered, I sign this form,

SIGNATURE OF THE BIDDER, ITS LEGAL REPRESENTATIVE, ATTORNEY OR COMMON ATTORNEY (as the case may be)

(PLACE AND DATE)

UNOFFICIAL TRANSLATION